

DOCUMENT RESUME

ED 467 946

IR 021 466

AUTHOR Ip, Albert; Morrison, Iain
TITLE Learning Objects in Different Pedagogical Paradigms.
PUB DATE 2001-12-00
NOTE 11p.; In: Meeting at the Crossroads. Proceedings of the Annual Conference of the Australasian Society for Computers in Learning in Tertiary Education (ASCILITE 2001) (18th, Melbourne, Australia, December 9-12, 2001); see IR 021 433.
PUB TYPE Information Analyses (070) -- Reports - Descriptive (141) -- Speeches/Meeting Papers (150)
EDRS PRICE EDRS Price MF01 Plus Postage. PC Not Available from EDRS
DESCRIPTORS Computer Uses in Education; *Educational Resources; Educational Technology; Higher Education; *Instructional Design; Literature Reviews; Teaching Methods; Teaching Models

ABSTRACT

Based on the review of several pedagogical paradigms, this paper: (1) clarifies the concepts of learning resources and learning objects; (2) proposes a way forward in the use of learning resources in different pedagogical paradigms in a large scale collaborative environment; and (3) exposes characteristics required in different learning objects to match the requirements of different pedagogical paradigms. An overview is provided of the main features and software/systems requirements of the following pedagogic approaches: tutorial, drill and practice; case study method; goal-based learning; learning by designing; World Wide Web-based role-play simulation; distributed problem-based learning; critical incident-based computer supported learning; rule-based simulation; exploratory learning; cognitive tool; and resource-based learning environment. These approaches are then summarized with reference to possible technical implementation requirements. (Contains 50 references.) (Author/MES)

LEARNING OBJECTS IN DIFFERENT PEDAGOGICAL PARADIGMS

PERMISSION TO REPRODUCE AND
DISSEMINATE THIS MATERIAL IN MICROFICHE
AND IN ELECTRONIC MEDIA FOR ERIC
COLLECTION SUBSCRIBERS ONLY,
HAS BEEN GRANTED BY

H. Carter

2A TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)

Albert Ip
Consultant to EdNA

Digital Learning Systems P/L, Australia
albert@DLS.au.com

Iain Morrison

Department of Information Science
The University of Melbourne, Australia
iain@staff.dcs.unimelb.edu.au

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

✓ This document has been reproduced as
received from the person or organization
originating it.

□ Minor changes have been made to
improve reproduction quality.

• Points of view or opinions stated in this
document do not necessarily represent
official OERI position or policy.

Abstract

Based on the review of several pedagogical paradigms, this paper attempts to (i) clarify the concepts of learning resources and learning objects, (ii) propose a way forward in the use of learning resources in different pedagogical paradigms in a large scale collaborative environment, and (iii) expose characteristics required in different learning objects to match the requirements of different pedagogical paradigms.

Keywords

learning object, learning resource, pedagogical designs, learning technology standards

Introduction

The notion of small, reusable units or components in a learning environment has a lot of appeal to both educators and designers of virtual learning environments. Reigeluth and Nelson (1997) suggest that when teachers first gain access to instructional materials, they often break the materials down into their constituent parts. Teachers then reassemble or substitute for (some of) these parts in ways that support their individual instructional goals. Reusable or replaceable instructional components, or learning resources and learning objects, may provide benefits by simplifying disassembly or replacement/substitution, potentially increasing the speed and efficiency of instructional development. This paper walks through several pedagogical paradigms and attempts to identify components which may be packaged for reuse in either similar or different pedagogical designs.

The term "learning object" is used very broadly in this paper. For a more detailed analysis of terminology relating to this notion, (see Ip, Morrison & Currie, 2001; Wiley, Gibbons & Recker, 2000). Suffice it to note here that learning objects include the software mechanism to render (and support the associated user interface for interactivity) the content and enable access. In this paper, our notion of learning objects is limited to those that are used directly by a learner. The mechanism to enable multiple learning objects to coexist and interoperate with each other (learning architecture issues) is not considered here. In addition, while lesson plans and other enabling resources, such as the Educational Modelling Language (EML, 2001) or the manifest file defined within the IMS content packaging specification (Young & Riley, 2000), are educational material, we also exclude them as learning objects in our analysis here.

Pedagogical paradigms selected here do not form an exhaustive list of contemporary pedagogical frameworks. Rather, they have been selected to provide an indication of the extent of the technical

issues that need to be faced as we attempt to understand the issues of reusing learning resources and learning objects in virtual learning environment design. This work may inform the formulation of specifications such as IMS content packaging (IMS, 2001), Advanced Distributed Learning (ADL) Network Shared Content Object Reference Model (ADL, 2001) and IEEE Learning Object Metadata (IEEE, 2001). Within the Australian context, this work may provide further understanding to guide the design of shareable, interoperable and reusable content for projects such as "Schools Online Curriculum Content Initiative (SOCCI)".

We will first provide an overview of the main features of, and software/systems requirements of, pedagogic approaches in use, then we will summarise these with reference to possible technical implementation requirements.

Tutorial, Drill and Practice

At one end is the rote of "drill and practice" and at the other end, a tutorial environment which provides a mechanism for presenting a problem to the online learners and provides feedback depending on the answer. When appropriately designed, the feedback mechanism can support a pre-emptive version of the Laurillard conversation model of higher learning (Laurillard, 1998)

A reusable unit may be an item (consisting, say, of the stem which is the question and responses, feedback and scoring information). The IMS Question and Testing Interoperability (IMS QTI) specification (Smythe & Shepherd, 2001) is a good candidate framework for encoding learning resources for reuse in this paradigm. The specification is designed to support question and test interoperability between different authors, publishers and other corresponding content developers.

Learning engines (Fritze & Ip, 1998; Fritze & McTigue, 1997) are a rich environment for drill and practice by allowing learners to interact with input/output and a visualisation device. The learner may respond to an item by drawing on a graphing device in addition to selecting any pre-drawn graphs. The reusable component is both the resource which determines the graph and the software component which acts as the input/output and visualisation device. Another software component, Text Analysis Object (TAO) (Kennedy, Ip, Adams, & Eizenberg, 1999; Kennedy, Ip, Eizenberg & Adams, 1998) is also a reusable unit which has special software coupled with the resource.

Case Study Method

A teaching case is a story describing, or based on, actual events, that justifies careful study and analysis by students. In other words, a teaching case is a story about the "real world" told with a definite teaching purpose in mind. A teaching case is a way of bringing the real world into a classroom so that students can "practice" on actual or realistic problems under the guidance of their teacher. Case teaching, unlike conventional lecturing, is discussion-based and experiential. The teaching case replaces the lecture as the vehicle for learning, and the case becomes the basis for discussion, exchange of ideas, knowledge and experience among participants (Lynn, 1996; Rangan, 1995).

The case study method has been practiced in the United States for many decades. It was made famous, first, by Harvard University's Business School and, later, by Harvard University's John F. Kennedy School of Government. Now cases are widely available from these two schools as well as via the World Wide Web from other sources. Obviously, the learning resources are the teaching cases together with all the discussion questions. Additional educational materials supporting the case study method normally include teaching guides associated with the cases. Proper metadata tagging will promote the discovery of appropriate cases for specific learning situation and themes.

Goal-based Learning

Goal-based scenarios (GBS) are essentially simulations in which there is a problem to resolve, or a mission to complete. They require learners to assume the main role in the resolution of the problem

or the pursuit of their mission (Schank, 1997; Schank, 1990). Hence, goals in this context refer to the successful completion of the task at hand, and not the achievement of grades. Scaffolding support to the learners is available in the form of stories (commonly presented as video clips with a talking head) as told by an actor in the scenario (see Schank & Cleary, 1995). A GBS serves both to motivate learners and also provide them with the opportunity to learn by doing, by making mistakes, and receiving feedback.

The description of the scenario is obviously a resource that may be reused in other paradigm such as case study method. The major challenge in creating GBS is the just-in-time requirement of providing the learners with appropriate stories (as text or as video clips with the appropriate context). The embedding of context within video clips obviously will restrict the potential of reuse of the clip in a different context. For stories in the form of text, we will require sophisticated tagging in order for the goal-based learning system to locate relevant learning resources efficiently.

Learning by Designing


This is an educational context in which the core learning activity is the design of an artefact. Designing as a means for acquiring content knowledge is commonly used in practice-based disciplines such as engineering and architecture (Newsletter, 2000; Hmelo, Holton & Kolodner, 2000). The obvious benefit of a design task is its inherent situatedness or authenticity. In design-based learning activities, students' understanding is "enacted" through the physical process of conceptualizing and producing something.

When students are creating an artefact (digital or otherwise), the learning architecture needs to be able to track the artefacts by automatically applying either embedded or detached metadata for the artefacts. Tanimoto (2001) proposed a framework for Distributed Transcripts for Online Learning which is based on artefacts created during the learning process.

Learning objects created by the learners may still have reuse values such as acting as examples for other groups of students, or as transcript of the learning process.

Web-based Role-play Simulation

Role-play simulations are learning situations in which learners take on the role-profiles of specific characters in a contrived educational game. (Linsler, Naidu & Ip, 1999). As a result of playing out roles in a role play simulation, learners are expected to acquire the intended learning outcomes as well as make learning enjoyable. While the underlying belief of web-based role play simulation is similar to goal-based scenario, it differs in both the dynamic nature of the goals as well as the mechanism in supporting learning.



Among other things, stories or cases are used to create an authentic scenarios. However, other resources, including real time news, play an important part in enriching the learning experience. The use of resources which are created originally not for educational consumption is an interesting issue. (Ip, Morrison, Currie & Mason, 2000) The learning architecture needs to support interchange of information among the learners, especially bi-directional communication capability raising the bar for the technology to provide collaborative and cooperative learning.

Distributed Problem-based Learning

Problem-based learning (PBL) is an instructional approach that exemplifies authentic learning and emphasises solving problems in rich contexts. It uses an instructional problem as the principle vehicle. The analysis and study of this problem comprises several phases that are spread over periods of group work and individual study (Barrows & Tamblyn, 1980; Schmidt, 1983; Evensen & Hmelo, 2000). A typical environment (e.g. Liu, Williams & Pedersen, 1999) that is based on PBL will:

1. Situate the problem in a rich context and allow learners to engage in scientific inquiries as experts do;
2. Present the problem with its complexity, yet provide tools to support students in working with complexity;
3. Provide information in multimedia formats to allow dynamic and interactive presentations that address different learning styles and student needs;
4. Provide experts' guidance from multiple perspectives to facilitate knowledge acquisition and transfer; and
5. Emphasise the interrelated nature of knowledge.

Distributed problem-based learning refers to the use of this strategy in a networked computer-supported collaborative environment where face-to-face communication among participants is not essential.

Problems are resources with specific learning objectives. However, the problem would need to be richly linked to other resources in order to create the rich context for it to have the complexity and authenticity for learners to fully engage in this paradigm. Like web-based role-play simulation, this paradigm requires collaboration support from learning architecture. Unlike web-based role play simulation, most of the current online generic conference features found in LMS will meet the need of this pedagogical design.

Critical Incident-based Computer Supported Learning

There has been growing interest in building learning environments that focus on supporting groups of learners engaged in reflection on critical incidents from their workplace (Wilson, 1996). Reports of knowledge sharing during the afternoon tea-break conversation of a group of maintenance technicians, supports the effectiveness of sharing of experiences. During these informal causal conversations, these technicians shared their "war stories" about how they solved problems daily. In the casual and friendly environment over the afternoon tea, the third-person experience, as told in first person, quickly transformed into the repertoire of the listeners. This gives rise to the premise that there is much potential for the storyteller for supporting learning.

A critical incident (from the workplace) presents a learner with a learning opportunity to reflect in and on action. Learners can do this by keeping learning logs which is a record of learning opportunities presented. The critical attribute of the learning log is that it concentrates on the process of learning. It is not a diary of events nor is it a record of work undertaken, rather it is a personal record of the occasions when learning occurred or could have occurred. The learning log also relates prior learning to current practice and is retrospective and reactive in action.

The learning architecture needs to support distributed management of learning logs. Most computer supported collaboration environment would be sufficient to support this type of learning.

The resource created during this process, i.e. the learning log, has some reuse value in the form of experiences of how other workers approach their learning in similar situation.

Rule-based Simulation

Rule-based computer simulations (RBS) are educational programs that model real systems. The learner's basic actions are to change the values of some input variables and observe the resulting changes in the values of output variables (de Jong & Joolingen, 1996). Rule-based systems are either conceptual or operational models (van Berkum & de Jong, 1991). Conceptual models contain principles, concepts, and facts related to the (class of) system(s) being simulated. Operational models include sequences of cognitive and/or non-cognitive operations (procedures) that can be applied to the (class of) simulated system(s). Examples of conceptual models can be found in economics (Shute & Glaser, 1990) or in physics e.g., electrical circuits, (White & Frederiksen, 1989; 1990). Operational models can be further divided into models where timing of actions is not relevant e.g., troubleshooting of avionics, (Lesgold, Lajoie, Bunzo, & Eggan, 1992), or troubleshooting of complex devices, (Towne et. al., 1990), or where timing is critical e.g., radar control, (Munro, Fehling, & Towne, 1985), or flight simulation. In many cases, real operational proficiency includes knowledge of an associated conceptual model (de Jong, Swaak, Scott & Brough, 1995, August; Kieras & Bovair, 1984). For example, operational knowledge on fault diagnosis can be related to conceptual knowledge of the device that is to be diagnosed. The value of RBS is the opportunity provided to the learners to try out different scenario in a safe and economical environment.

Microworlds, or computer simulations of restricted environments are a form of rule-based computer simulation. They are an intuitively appealing way to promote discovery and exploratory learning. Papert (1980) called computer supported microworlds "incubators for knowledge" when he described the potential of computer aided learning to encourage exploration and thus self-education by children. His educational philosophies stem from Piaget's work on learning which, simplistically, state that much of children's learning occurs without being taught: children construct their skills and understanding from seeds of knowledge.

Creation of digital microworld for simulation and learning may be one of the most challenging and creative aspects of designing learning objects and learning architecture. Learning objects in this paradigm will be active software component (agent) which interacts with other components in the microworld to model the environment. Efforts in creating interoperability components for use in this environment include (Ip & Canale, 1996; AgentSheets, Online; E-slate, 2000) and (ESCOT, 2001)

Exploratory Learning

Exploratory uses of instructional technology allow students to direct their own learning. Through the process of discovery, or guided discovery, the student learns facts, concepts, and procedures. (Department of Education USA, 1993) The pedagogical underpinning is closely related to rule-based simulation. The difference is the focus of the exploration. In rule-based simulation, the exploration is a simulator and the challenge is the creation of the simulation. For exploratory learning, the focus is on information or resources and the challenge is effective resource discovery while protecting minors from indecent or otherwise inappropriate material.

In traditional learning environments, the information available to learners (e.g. children in school) have been carefully selected, edited or reworked to meet both the "duty of care" and the learning profiles of the learners. (The school library plays an important role in the selection process.)

However, with the advent of the communication network, resources, including those not originally intended for educational consumption may be available to learners during exploratory learning. Ip et al. (2000) and Ip and Naidu (2001) highlighted the need to rethink the issues of availability of materials for educational use.

Cognitive Tool

Reeves (1999) suggests two major approaches to using interactive learning systems and programs in education.

First, people can learn "from" interactive learning systems and programs, and second, they can learn "with" interactive learning tools. Learning "from" interactive learning systems is often referred to in terms such as computer-based instruction or integrated learning systems (ILS). Learning "with" interactive software programs, on the other hand, is referred to in terms such as cognitive tools (Lajoie, 1993; Jonassen & Reeves, 1996) and constructivist learning environments. With the use of such "cognitive tools", learners can enter an intellectual partnership with the computer in order to access and interpret information, and organise personal knowledge. Computer-based cognitive tools have been intentionally adapted or developed to function as intellectual partners to enable and facilitate critical thinking and higher order learning.

Typical cognitive tools include databases, spreadsheets, semantic networks, expert systems, concept maps, communications software such as teleconferencing programs, on-line collaborative knowledge construction environments, multimedia/hypermedia construction software, and computer programming languages.

Learning objects need to be software which support learning. TAO (Kennedy et al., 1999; Kennedy et al., 1998) doubles as a cognitive tool as well.

Resource-based Learning Environment

Resource-based Learning Environment (RBLE) emphasises a transformation of meaning through learner-centred, system-facilitated action. RBLEs support and extend efforts to know, understand, and generate, that is, to reflect, construct, solve problems, and integrate new information for one's own purposes (e.g., curiosity, dissonance) as well as for others' purposes e.g., research topic, gain varied perspectives on an issue, solve an assigned problem (Land & Hannafin, 1996). They provide not only comprehensive collections of highly indexed data, information, and search engines, they help learners to reason, reflect, and assess the veracity of the systems' contents.

Traditionally, special collections of resources in libraries will provide the starting basic of RBLEs. Obviously, indexing and providing efficient discovery of learning resource are of prime importance in this environment.

Summary

Pedagogical Design	Nature of the resources	Need special rendering software	Resources are specifically designed for educational use
Tutorial, Drill and Practice	Test or drill items, (may be structured to meet interoperability standards such as IMS QTI)	Yes – directly or indirectly Some learning objects may have embedded content and some may not.	Yes
Case Study Method	Teaching cases	No – cases are normally hardcopy but online cases can include video – but hard-wired to the learning scenario (see GBL)	Yes
Goal-based learning	Stories, or video clips, provided mainly 'on-demand'	No	Yes
Learning by designing	The requirement for an artifact	No	Yes

Pedagogical Design	Nature of the resources	Need special rendering software	Resources are specifically designed for educational use
Web-based role-play simulation	A scenario & associated design of the role play simulation resources	No, but the environment itself may be a specialist engine (Ip & Linser, 1999)	Scenario etc: yes Resources: no
Distributed problem-based learning	Problem for solving during the learning	No	Yes
Critical incident-based computer supported learning	Opportunities for learning – incidence	No	No
Rule-based simulation	Embedded in the software	Yes, most component-based approaches to creating rule-based simulation will have embedded content in the components which roughly map to learning objects in this paper	Yes
Cognitive tool	Structured content to work with some tools, generic tools may not need any content	N/A	N/A
Resource-based Learning Environment	Resources	Search tool and resource discovery mechanism, e.g. in the form of support from subject gateways	No

Table 1: Use of resources in different pedagogical design

Implication For Understanding Learning Objects And Learning Resources

We use a diverse range of resources in our practice of teaching and learning. In summary there are:

- specifically written up reading material (case method, problems in problem-based learning) - learning resources
- reading resources originally created for other purposes (web-based role play simulation, exploratory learning, resource-based learning) - we refer to these type of resources as NEF resources, (see Ip et al., 2000; Ip & Naidu, 2001).
- multimedia resources in order to convey authentic situation and a sense of authority (video clips in goal base learning) - multimedia learning resources requiring generic software to render (such as QuickTime player)
- structured resources designed to be used in an interactive way (items in tutorial, drill and practice) - structured learning resources requiring the service of specialised learning objects. Some learning objects may have the content embedded in a way that further separation of the rendering mechanism and content is impossible and
- specialised software agents with embedded content and context (as in component-based rule-based simulation).

We also use a diverse range of software components and/or systems such as:-

- cognitive tools,
- collaboration systems to support the generic communication,
- specialised system as in web-based role play simulation, and
- rule-based simulation.

Some of these software components work with structured content (TAO as a cognitive tool and learning engine).

In other words, learning resources (both text and multimedia) include both resources specifically created, selected and edited for learners and NEF resources drawn from other sources.

The former resource may not be structured. These resources can be rendered by generic device (such as text viewer or web browser). There are structured learning resources (such as those created conforming to IMS QTI specification (Smythe & Shepherd, 2001) which need to be rendered by special matching software in order to be used effectively in an educational context.

Some educational software renders several structured educational resources of the same type, other will have the educational content embedded (such as the Java Applets submitted to Educational Object Economy (EOE, 2000).

In object-oriented software design, a software component has role, interface, attributes and actions in order for different software objects to work together as a whole system. A learning object may have

- Attributes in the form of the resources that go with the object. For example a rendering to provide selection in question and testing, the rendering software is the Q&T object and the items defined in IMS QTI is the acceptable attribute to this object
- Behaviour in order to allow other learning object to interact e.g. for provide rule-based simulation
- Interface for activation.

The creation of the learning object (as software supporting assembly, interactivity and behaviour) and the content (as attribute) demand different skills. The former calls for expertise in software development and the latter requires subject matter expertise. In looking at each pedagogical paradigm, we can see a separation of the content elements (text, graphics, referenced sources, etc), the means of packaging/assembly of these and the means of supporting interactivity (with students, CMS and LMS) and open access. The separation of the content data, from the packaging and communication (access and interaction) is an important one that current emerging technologies such as XML/DataBinding and XML transformation languages (XSLT) are beginning to enable. This proper clarification of roles of the developer (software development, pedagogical design and subject matter creation) (Ip, 1997) will be a welcome approach to efficiently create engaging educational courseware.

The embracing of the 'digital agenda' by an individual educational institution is an expensive proposition and it is important to leverage as far as possible through re-purposing and re-use the learning resources. It is also important where means of capturing sound pedagogies into a technical vehicle are possible that these too foster re-purposing and re-use. Learning objects, being an encapsulation of both the rendering software and the subject matter content, represents a potential unit of multiple deployments in different situations. However, there is a difference between learning objects and learning resources, the latter implies content, the former implies addition of the (technical) vehicle to afford encapsulation, support interactivity and manage access. (Here learning resource is naively defined as just the resource) Understanding of this difference is a first step towards a re-use framework to control the cost of the digital agenda.

References

- ADL. (2001). *Advanced Distributed Learning Network Website*. [Online]. Available: <http://www.adlnet.org/> [26th September 2001].
- AgentSheets. *AgentSheet Website*. [Online]. Available: <http://www.agentsheets.com/> [26th September 2001].
- Barrows, H.S., & Tamblyn, R. (1980). *Problem-based learning: An approach to medical education*. New York: Springer.
- de Jong, T., Swaak, J., Scott, D. M., & Brough, J. (1995). *The use of simulations for training engineers in the process industry*. Paper presented at the Conference of the European Association for Research on Learning and Instruction, Nijmegen, The Netherlands.

- Department of Education, USA. (1993). *Technologies for Exploratory Learning*. [Online]. Available: <http://www.ed.gov/pubs/EdReformStudies/TechReforms/chap2c.html> [26th September 2001].
- EML. (2001). *Educational Modelling Language Project Website* [Online]. Available: <http://eml.ou.nl/introduction/> [26th September 2001].
- EOE. (2000). *Educational objects economy website* [Online]. Available: <http://www.eoe.org/eoe.htm> [26th September 2001].
- ESCOT. (2001). *Education Software Components of Tomorrow Website* [Online]. Available: <http://web.escot.org/> [26th September 2001].
- E-slate. (2000). *E-slate project website* [Online]. Available: <http://e-slate.cti.gr/> [26th September 2001].
- Evensen, D. H., & Hmelo, C. E. (2000). *Problem-based learning: A research perspective on learning interactions*. Mahwah, NJ: Lawrence Erlbaum Associates, Inc., Publishers.
- Fritze, P., & Ip, A. (1998). *Learning Engines - a functional object model for developing learning resources for the Web*. Paper presented at the ED_MEDIA & ED-TELECOM 98 Conference, Freiburg.
- Fritze, P., & McTigue, P. (1997). *Learning Engines - a Framework for the Creation of Interactive Learning Components on the Web*. [Online]. Available: <http://www.curtin.edu.au/conference/ascilite97/papers/Fritze/Fritze.html> [26th September 2001].
- Hmelo, C.E., Holton, D. L., & Kolodner, J. L. (2000). Designing to learn about complex tasks. *The Journal of the Learning Sciences*, 9(3), 243-246.
- IEEE. (2001). *IEEE LTSC Website* [Online]. Available: <http://ltsc.ieee.org/> [26th September 2001].
- IMS. (2001). *IMS Global Learning Consortium, Inc. Website* [Online]. Available: <http://www.imsproject.org/> [26th September 2001].
- Ip, A. (1997). *Higher Education & Web-based Learning: Five Challengers and a Proposed Solution* (Vol. Feature of the week at Education Object Economy,). [Online]. Available: <http://www.eoe.org/FMPro?-db=Objects.fp3&-token=libraryPapers&-format=/library/paperdetail.htm&-recid=35188&-lay=all&-Find> [26th September 2001].
- Ip, A., & Canale, R. (1996). A model for authoring virtual experiments in web-based courses. Paper presented at the ASCILITE 96.
- Ip, A., & Linsler, R. (1999). *Web-based Simulation Generator: Empowering Teaching and Learning Media in Political Science* [Online]. Available: <http://www.roleplaysim.org/papers/rpsg.htm> [26th September 2001].
- Ip, A., Morrison, I., & Currie, M. (Accepted 2001). What is a learning object, technically? Paper presented at the WebNet 2001.
- Ip, A., Morrison, I., Currie, M., & Mason, J. (2000). Managing Online Resources for Teaching and Learning. Paper presented at the AusWeb2K, the Six Australian World Wide Web Conference.
- Ip, A., & Naidu, S. (2001). Reuse of Web-Based Resources in Technology-Enhanced Student-Centered Learning Environments. *Campus Wide Information Systems*.
- Jonassen, D. H., & Reeves, T. C. (1996). Learning with technology: Using computers as cognitive tools. In D. H. Jonassen (Ed.), *Handbook of research for educational communications and technology* (pp. 693-719). New York: Macmillan.
- Kennedy, D. M., Ip, A., Adams, C., & Eizenberg, N. (1999). *Developing Generic Interactive Learning Tools to Engage Students: The Text Analysis Object for Web and CD-ROM*. Paper presented at the EdMedia99.
- Kennedy, D. M., Ip, A., Eizenberg, N., & Adams, C. (1998). *The Text Analysis Object (TAO): Engaging students in active learning on the web*. Paper presented at the Australian Society for Computers in Learning in Tertiary Education Annual Conference, NSW Australia.
- Kieras, D. E., & Bovair, S. (1984). The role of a mental model in learning to operate a device. *Cognitive Science*, 8, 255-273.
- Lajoie, S. P. (1993). Computer environments as cognitive tools for enhancing learning. In S. P. Lajoie & S. J. Derry (Eds.), *Computers as Cognitive Tools* (pp. 261-288). Hillsdale, New Jersey: Lawrence Erlbaum Associates.
- Laurillard, D. (1998). *Rethinking university teaching: A framework for the effective use of educational technology*. London: Routledge.
- Lesgold, A., Lajoie, S., Bunzo, M., & Eggan, G. (1992). SHERLOCK: A coached practice environment for an electronics troubleshooting job. In J. H. L. R. W. Chabay (Ed.), *Computer-*

- assisted instruction and intelligent tutoring systems: Shared goals and complementary approaches (pp. 201-239). Hillsdale, NJ: Erlbaum.
- Liu, M., Williams, D., & Pedersen, S. (1999, June). *The Design and Development of A Hypermedia-Supported Problem-Based Learning Environment*. Paper presented at the Ed-Media 99, Seattle, Washington.
- Lynn, L. E. (1996). *What is the Case Method? A Guide and Casebook*. Japan: the Foundation for Advanced Studies on International Development.
- Munro, A., Fehling, M. R., & Towne, D. M. (1985). Instruction intrusiveness in dynamic simulation training. *Journal of Computer-Based Instruction*, 2, 50-53.
- Newstetter, W. C. (2000). Guest editor's introduction. *The Journal of the Learning Sciences*, 9(3), 247-298.
- Papert, (1980). *Mindstorms — Children, Computers, and Powerful Ideas*. Brighton: Harvester Press.
- Rangan, K. (1995). *Choreographing a Case Class* [Online]. Available: <http://www.hbsp.harvard.edu/products/cases/casemethod/rangan.pdf> [26th September 2001].
- Reeves, T. C. (1999, June). *A Research Agenda for Interactive Learning in the New Millennium*. Paper presented at the Ed-Media 99, Seattle, Washington, USA.
- Reigeluth, C. M. (1996). A new paradigm of ISD? *Educational Technology* (May-June), 13-20.
- Schank, (1997). *Virtual Learning: A Revolutionary Approach to Building a Highly Skilled Workforce*. New York: McGraw-Hill.
- Schank, R. C. (1990). *Tell Me A Story*. Evanston, Illinois: Northwestern University Press.
- Schank, R. C., & Cleary, C. (1995). *Engines for Education*. Hillsdale, NJ: Lawrence Erlbaum Associates Publishers.
- Schmidt, H. G. (1983). Foundations of Problem-based learning. Some explanatory notes. *Medical Education*, 27, 11-16.
- Shute, V. J., & Glaser, R. (1990). A large-scale evaluation of an intelligent discovery world: Smithtown. *Interactive Learning Environments*, 1, 51-77.
- Smythe, C., & Shepherd, E. (2001). *IMS Question & Test Interoperability: ASI Information Model Specification (version 1.1)* [Online]. Available: <http://www.imsproject.org/question/qtin/fo03.html> [26th September 2001].
- Tanimoto, S. L. (2001). Distributed Transcripts for Online Learning: Design Issues. *Journal of Interactive Media in Education*.
- Towne, D. M., Munro, A., Pizzini, Q., Surmon, D., Collier, L., & Wogulis, J. (1990). Model-building tools for simulation-based training. *Interactive Learning Environments*, 1, 33-50.
- van Berkum, J. J. A., & de Jong, T. (1991). Instructional environments for simulations. *Education & Computing*, 6, 305-358.
- White, B.Y., & Frederiksen, J. R. (1989). Causal models as intelligent learning environments for science and engineering education. *Applied Artificial Intelligence*, 3(2-3), 83-106.
- White, B.Y., & Frederiksen, J. R. (1990). Causal model progressions as a foundation for intelligent learning environments. *Artificial Intelligence*, 42, 99-157.
- Wiley, Gibbons, & Recker. (2000). *A reformulation of the issue of learning object granularity and its implications for the design of learning objects* [Online]. Available: <http://reusability.org/granularity.pdf> [26th September 2001]
- Wilson, B.G.E. (1996). *Constructivist learning environments: Case studies in instructional design*. Englewood Cliffs: New Jersey: Educational Technology Publications.
- Young, B., & Riley, K. (2000). *IMS Content Packaging Information Model (v1.1): IMS*.

Copyright © 2001 Albert Ip and Iain Morrison.

The author(s) assign to ASCILITE and educational non-profit institutions a non-exclusive licence to use this document for personal use and in courses of instruction provided that the article is used in full and this copyright statement is reproduced. The author(s) also grant a non-exclusive licence to ASCILITE to publish this document in full on the World Wide Web (prime sites and mirrors) and in printed form within the ASCILITE 2001 conference proceedings. Any other usage is prohibited without the express permission of the author(s).



U.S. Department of Education
Office of Educational Research and Improvement (OERI)
National Library of Education (NLE)
Educational Resources Information Center (ERIC)



REPRODUCTION RELEASE
(Specific Document)

I. DOCUMENT IDENTIFICATION:

Title:	ASCILITE 2001 Conference Proceedings		
Authors:	Kennedy, A., Ed.; Keppell, M., Ed.; McNaught, C., Ed.; Petro		
Corporate Source:	Australasian Society for Computers in Learning	Publication Date:	2001

II. REPRODUCTION RELEASE:

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, Resources in Education (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic media, and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following three options below and sign at the bottom of the page.

The sample sticker shown below will be affixed to all Level 1 documents	The sample sticker shown below will be affixed to all Level 2A documents	The sample sticker shown below will be affixed to all Level 2B documents
PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY
SAMPLE	SAMPLE	SAMPLE
TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)
Level 1	Level 2A	Level 2B
☐	☒	☐
Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g., electronic) and paper copy.	Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only.	Check here for Level 2B release, permitting reproduction and dissemination in microfiche only.
Documents will be processed as indicated provided reproduction quality permits. If permission to reproduce is granted, but no box is checked, documents will be processed at Level 1.		

I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate this document as indicated above. Reproduction from the ERIC microfiche or electronic media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries.

Signature: <i>H. Carter</i>	Printed Name/Position/Title: Helen Carter - ASCILITE President	
Organization/Address: C/CEDIR University of Wollongong Wollongong NSW 2522 Australia	Telephone: 02-4221-4895	FAX: 02-4225-8312
	E-mail Address: info@ascilite.org	Date: 05/14/02

III. DOCUMENT AVAILABILITY INFORMATION (FROM NON-ERIC SOURCE):

If permission to reproduce is not granted to ERIC, or, if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents that cannot be made available through EDRS.

Publisher/ Distributor:	
Address:	
Price:	

IV. REFERRAL OF ERIC TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER:

If the right to grant this reproduction release is held by someone other than the addressee, please provide the appropriate name and address:

Name:	
Address:	

V. WHERE TO SEND THIS FORM:

Send this form to the following ERIC Clearinghouse:	ERIC Clearinghouse on Information & Technology Syracuse University 621 Skytop Road, Suite 160 Syracuse, NY 13244-5290 E-Mail ericft@ericit.syr.edu 315-443-3640 1-800-464-9107 Fax: 315-443-5448
---	---